






RUL™ LED Rural Utility Luminaire

Luminaire EPA

Horizontal Tenon Mount – Weight: 3L/5L - 4.0 lbs. (1.8kg); 7L - 6.3 lbs. (2.9kg); add 1.0 lb. (0.5kg) for PW option; add 0.28 lbs. (0.1kg) for RUL-PEC accessory; add 0.7 lbs. (0.3kg) for RUL-B-REFS accessory; add 0.9 lbs. (0.4kg) for RUL-B-REFM accessory; add 2.5 lbs. (1.1kg) for RUL-ARM24 accessory					
Luminaire	Single	2 @ 90°	2 @ 180°	3 @ 90°	4 @ 90°
Tenon Configuration If used with Cree tenons, please add tenon EPA with luminaire EPA					
					
Standard luminaire with RUL-PEC accessory, if applicable (K4 Utility Kit)	0.59	0.85	1.18	1.44	1.70
Standard Luminaire w/ RUL-ARM24 accessory (K1 & K3 Utility Kits)	1.01	1.69	2.02	2.70	
Standard Luminaire w/ RUL-ARM24 and RUL-B-REFS/M Refractor (K2 & K6 Utility Kits)	1.42	2.51	2.84	3.92	4.22
Standard Luminaire w/RUL-B-REFS/M Refractor (K5 & K7 Utility Kits)	1.00	1.67	2.00	2.67	3.34

Tenon EPA

Part Number	EPA
RUL-ARM24	0.42

Tenons and Brackets
<p>Arm Mount</p> <p>RUL-ARM24</p> <ul style="list-style-type: none"> - 24.0" (609.6mm) curved non-vented arm mount - Includes cast steel hardware - Mounts to luminaire base

For more details on the Bracket and Tenon, please refer to the [Bracket and Tenon Sheet](#) for more details

PRELIMINARY