











**Luminaire EPA**

Horizontal Tenon Mount – Weight: Refer to table on page 1					
Luminaire	Single	2 @ 90°	2 @ 180°	3 @ 90°	4 @ 90°
<b>Tenon Configuration</b> If used with Cree Lighting tenons, please add tenon EPA with luminaire EPA					
	PD-1H4; PT-1H	PD-2H4(90); PT-2H(90)	PD-2H4(180); PT-2H(180)	PD-3H4(90); PT-3H(90)	PD-4H4(90); PT-4H(90)
RSWS	0.61	0.89	1.22	1.50	
RSWS w/RSW-BLSS, RSW-CLSS or RSW-FLSS Accessory	0.61	1.25	1.22	1.85	2.49
RSWM	0.86	1.24	1.71	2.10	2.49
RSWM w/RSW-BLSM, RSW-CLSM or RSW-FLSM Accessory	0.86	1.59	1.71	2.45	3.17
RSWL	1.00	1.55	2.00		3.10
RSWL w/RSW-BLSL Accessory	1.01	2.16	2.01	3.09	4.33
RSWX	1.17	1.93	2.33	3.09	3.85

**Tenon EPA**

Part Number	EPA
PD Series Tenons	0.09
PT Series Tenons	0.10
WM-2L	0.13
XA-TMDA8	0.19

Tenons and Brackets* (must specify color)	
<p><b>Square Internal Mount Horizontal Tenons (Aluminum)</b>                      - Mounts to 1/2" (12.7mm) square aluminum or steel poles                      PD-1H4 – Single                      PD-2H4(90) – 90° Twin                      PD-2H4(180) – 180° Twin</p>	<p><b>Round External Mount Horizontal Tenons (Aluminum)</b>                      - Mounts to 2.375"-3" (60-76mm) O.D. round aluminum or steel poles or tenons                      PT-1H – Single                      PT-2H(90) – 90° Twin                      PT-2H(180) – 180° Twin</p>
<p><b>Mount Brackets</b>                      - Mounts to wall or roof                      WM-2L – Extended Horizontal</p>	<p><b>Direct Arm Pole Adaptor Bracket</b>                      - Mounts to 3-6" (76-152mm) round or square aluminum or steel poles                      XA-TMDA8</p>

\* Refer to the [Bracket and Tenons spec sheet](#) for more details