

# C-EE-A-EMG-2L-BBLG Series

LED Emergency Light, 27W, 6V Remote-Capable



## TRIED AND TRUSTED

Our UL listed C-EE-A-EMG-2L-BBLG Series LED Emergency Light delivers 65 lumens per head and features a 5-year limited warranty and a battery backup, so it won't let you down in any urgent situation.



## PRODUCT SPECIFICATIONS

### OVERVIEW

- Lumens/Head: 65 Lumens per head
- Power Consumption: 11W at 120V and 277V
- Finish Color: White
- Operating Temperature Minimum: 68°F (20°C)
- Dimmable: No
- Battery Backup: Yes
- Limited Warranty: 5 Years\*
- UL Listed
- Runs up to 8 hours without remote heads
- Emergency Light, 27W, 6V Remote-Capable\*

DURABLE	RECOMMENDED USE	INPUT VOLTAGE
<ul style="list-style-type: none"> <li>• 20 gauge steel housing</li> </ul>	<ul style="list-style-type: none"> <li>• Exit identification &amp; emergency lighting</li> <li>• Indoor commercial, retail &amp; industrial applications</li> </ul>	<ul style="list-style-type: none"> <li>• Universal (120V or 277V Operation)</li> </ul>

## ORDERING INFORMATION

Example: C-EE-A-EMG-2-BBLG-REM-WH


C-EE	A	EMG	2L	BBLG	REM	WH
PRODUCT	SERIES	TYPE	LUMEN PACKAGE	BATTERY	OPTION	COLOR
C-EE	A	EMG LED Emergency Light	2L 65 Lumens per head	BBLG Battery Backup - Large	REM Remote Capability*	WH White

\* Remote unit will run up to 20 single LED remote heads or 10 double LED remote heads (see page 3)

## CERTIFICATIONS



# C-EE-A-EMG-2L-BBLG Series



## SERIES OVERVIEW

DIMENSIONS	PRODUCT WEIGHT
12-1/4" L x 11" H x 3" D	10.05 lbs.

## FIXTURE SPECIFICATIONS

<b>HOUSING</b>	Constructed of durable 20-gauge steel Neutral white finish
<b>MOUNTING</b>	Knockouts on back for wall mount Top and side knockouts for conduit applications
<b>INCLUDES</b>	Sealed, 6V maintenance-free lead acid battery backup (90 min.)

## ELECTRICAL PERFORMANCE

OPERATING TEMPERATURE MINIMUM		DIMMABLE
68°F (20°C)		No
<b>INPUT VOLTAGE</b>	<b>120V</b>	<b>277V</b>
<b>CURRENT DRAW (Amps):</b>	0.21A	0.10A

## WARRANTY AND CERTIFICATIONS

WARRANTY	UL LISTED
5-Year Limited (Housing & Electronics) 5-Year Pro-Rated (Battery)	Damp Locations

 **CA RESIDENTS WARNING:** Cancer and Reproductive Harm -  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

US: [creelighting.com](http://creelighting.com), [e-conolight.com](http://e-conolight.com)

Distribution/Sales: 855-617-2733 Customer Service: 888-243-9445





Rev. Date: 03/08/2021

For informational purposes only. Content is subject to change. \*See [lighting.cree.com/warranty](http://lighting.cree.com/warranty) for details

**C-LITE**  
LED LIGHTING

# C-EE-A-EMG-2L-BBLG Series

## ACCESSORIES

	<b>1W SINGLE REMOTE HEAD - WHITE</b>
	SKU: <b>C-EE-A-EMG-1L-REM-WH</b> USE: Damp Listed
	<b>1W SINGLE REMOTE HEAD - GRAY</b>
	SKU: <b>C-EE-A-EMG-1L-REM-WET-GR</b> USE: Wet Listed
	<b>1W DOUBLE REMOTE HEAD - 2W TOTAL - WHITE</b>
	SKU: <b>C-EE-A-EMG-2L-REM-WH</b> USE: Damp Listed
	<b>1W DOUBLE REMOTE HEAD - 2W TOTAL - GRAY</b>
	SKU: <b>C-EE-A-EMG-2L-REM-WET-GR</b> USE: Wet Listed

©2020 Cree Lighting, A company of IDEAL INDUSTRIES. All rights reserved. For informational purposes only. Content is subject to change. Patent [www.creelighting.com/patents](http://www.creelighting.com/patents). C-Lite and the C-Lite logo are registered trademarks of Cree Lighting. The UL logo is a registered trademark of UL LLC.

US • [creelighting.com](http://creelighting.com), [e-conolight.com](http://e-conolight.com)

Distribution/Sales 855-617-2733 Customer Service 888-243-9445

Rev. Date: 03/08/2021

For informational purposes only. Content is subject to change. \*See [lighting.cree.com/warranty](http://lighting.cree.com/warranty) for details

**C-LITE**  
LED LIGHTING